

PetropompSad

DSPCP **Series**



Self- priming waste water pump



DSPCP 4-265


Wet prime pumps



Features :

- Wet prime system
- Mechanical seal flushing.
- Easy clean up.

Performance Curves accor. to UNI 9906



Technical information



Dimensions	
Width	950 mm
Length	1750 mm
Height	1520 mm
Max dry weight	905 kg (2000 lbs)

Dimensions	
Width	1410 mm
Length	3120 mm
Height	1880 mm
Max dry weight	910 kg (2010 lbs)

Specifications				
Pump size	100	mm	4"	in
Max flow	180	m ³ /h	790	USgpm
Max head	40	m	131	ft
Solid handlings	50	mm	2"	in
Operating speed range	1400 – 2000			rpm
Rated power	24	Kw	45	Kw
Fuel tank size	300	l	79	USg
Fuel consumption	5,8	l/h	1,5	USgph
Max running hours	54			h

Diesel Engine	
Cooling	Water
Make	YAVUZ
Model	3104G-4104G

Diesel Engine	
Cooling	Air
Make	Deutz
Model	F2-3-4L912



DSPCP 6-330


Wet prime pumps



Performance Curves accor. to UNI 9906

Features :

- Wet prime system.
- Mechanical seal flushing.
- Easy clean up.



Technical information



Dimensions	
Width	950 mm
Length	1750 mm
Height	1520 mm
Max dry weight	935 kg (2060 lbs)

Dimensions	
Width	1410 mm
Length	3120 mm
Height	1880 mm
Max dry weight	1020 kg (2249 lbs)

Specifications				
Pump size	150	mm	6"	in
Max flow	340	m ³ /h	1500	USgpm
Max head	33	m	108	ft
Solid handlings	76	mm	3"	in
Operating speed range	1400 – 2000			rpm
Rated power	33	Kw	45	Kw
Fuel tank size	300	l	79	USg
Fuel consumption	7,1	l/h	1,9	USgph
Max running hours	56			h

Diesel Engine	
Cooling	Water
Make	YAVUZ
Model	4104G

Diesel Engine	
Cooling	Air
Make	Deutz
Model	F-3-4L912



DSPCP 8-400


Wet prime pumps



Performance Curves accor. to UNI 9906

Features :

- Wet prime system.
- Mechanical seal flushing.
- Easy clean up.



Technical information



Dimensions	
Width	1070 mm
Length	2550 mm
Height	1850 mm
Max dry weight	1205 kg (2660 lbs)

Dimensions	
Width	1610 mm
Length	3650 mm
Height	2230 mm
Max dry weight	1225 kg (2700 lbs)

Specifications				
Pump size	200	mm	8"	in
Max flow	560	m ³ /h	2470	USgpm
Max head	35	m	115	ft
Solid handlings	76	mm	3"	in
Operating speed range	1200 – 1800			rpm
Rated power	45	Kw	60	Kw
Fuel tank size	420	l	111	USg
Fuel consumption	8,3	l/h	2,2	USgph
Max running hours	51			h

Diesel Engine	
Cooling	Water
Make	YAVUZ
Model	4304G

Diesel Engine	
Cooling	Air
Make	Deutz
Model	F-4-6L912



DSPCP 10-400


Wet prime pumps



Performance Curves accor. to UNI 9906

Features :

- Wet prime system
- Mechanical seal flushing.
- Easy clean up.



Technical information



Dimensions	
Width	950 mm
Length	2800 mm
Height	1800 mm
Max dry weight	1740 kg (3840 lbs)

Dimensions	
Width	1610 mm
Length	4200 mm
Height	2210 mm
Max dry weight	1790 kg (3950 lbs)

Specifications				
Pump size	250	mm	10"	in
Max flow	690	m ³ /h	3040	USgpm
Max head	39	m	128	ft
Solid handlings	76	mm	3"	in
Operating speed range	1200 – 1800			rpm
Rated power	60	Kw	75	Kw
Fuel tank size	540	l	143	USg
Fuel consumption	11,4	l/h	3	USgph
Max running hours	51			h

Diesel Engine	
Cooling	Water
Make	YAVUZ
Model	4304G

Diesel Engine	
Cooling	Air
Make	Deutz
Model	F6L912



DSPCP 12-400


Wet prime pumps



Performance Curves accor. to UNI 9906

Features :

- Wet prime system.
- Mechanical seal flushing.
- Easy clean up.



Technical information



Dimensions	
Width	1230 mm
Length	2800 mm
Height	1800 mm
Max dry weight	2125 kg (4680 lbs)

Dimensions	
Width	2100 mm
Length	4200 mm
Height	2250 mm
Max dry weight	2185 kg (4820 lbs)

Specifications				
Pump size	300	mm	12"	in
Max flow	1,4	m ³ /h	6660	USgpm
Max head	29	m	96	ft
Solid handlings	70	mm	2.8"	in
Operating speed range	900 – 1150			rpm
Rated power	100	Kw	112	Kw
Fuel tank size	600	l	159	USg
Fuel consumption	27,1	l/h	7,2	USgph
Max running hours	22			h

Diesel Engine	
Cooling	Water
Make	YAVUZ
Model	6304G

Diesel Engine	
Cooling	Air
Make	Deutz
Model	F6912S



Self-priming oil waste pump



Fevzi Cakmek Mh. MilenyumCd. No.37/1 Karatay / 2. Aspak sanayi
TURKEY /KONYA

petropompsad@gmail.com

+905321512583

+905551488902